



The First Dock of Its Kind...  
***THE LAST DOCK YOU WILL EVER NEED.®***



FLOATING DOCK AND LIFT SYSTEMS



[www.ez-dock.com](http://www.ez-dock.com)  
800-654-8168



# EZ DOCK HUMMER STRONG

The patented flotation design and coupling system of EZ Dock provides more stability than traditional floating dock structures, and is virtually unsinkable under normal use.



## Why EZ Dock?

### IT'S EASY

EZ Dock was developed with the discriminating waterfront consumer in mind. After years of battling harsh weather conditions and having to install and remove docks seasonally, two innovative friends invented and patented the EZ Dock system that changed the dock industry forever. Backed by further engineering and development after joining the PlayPower family of companies, EZ Dock systems are the strongest and the most stable plastic floating dock and lift systems on the market.

Today, more and more people have turned to EZ Dock for their residential and commercial uses, making it the industry leader in polyethylene docking systems and accessories.

### VERSATILE

No two waterfront properties are exactly the same, so why not choose the versatility of the EZ Dock modular system that can be configured to meet your waterfront vision. The modular dock sections even allow you to add dock pieces later, or reconfigure your dock layout as your needs change. EZ Dock's EZ Designer™ online configuration software at [www.ez-dock.com](http://www.ez-dock.com) allows you to create your own system and get a quote on your design from a dealer near you who can recommend a suitable anchoring method. When you finish your dock design you can add PWC or boat lifts, benches storage or even, a roof system.

EZ Dock, Incorporated is not associated with General Motors Corporation and General Motors Corporation did not participate in the above demonstration. **WARNING:** EZ Dock, Inc. performed the depicted maneuver to demonstrate its product's buoyancy and weight capacity. EZ Dock does not suggest that its products be used as a form of flotation for automobiles, and specifically advises that automobiles should not be driven onto its docks.





## EZ Dock vs. Wood

While there are many advantages of EZ Dock over traditional wood docks, the most significant is reduced maintenance, which can be measured in both time and money saved. EZ Dock sections don't rust or splinter, nor do they have individual boards that need to be replaced or painted. Pressure washing is a thing of the past with EZ Dock. Soap and water from a traditional garden hose are all you need to clean your EZ Dock system.

Additionally, EZ Dock is environmentally friendly as it allows sun light to filter through and it will not release harmful chemicals into waterways as treated lumber can often do.

From a comfort standpoint, the light color of EZ Dock makes it cooler than sun-baked wood with no splinters or rusty nails, so your bare-footed users will thank you!




[www.ez-dock.com](http://www.ez-dock.com)

## HIGH VALUE

EZ Dock knows that a stable, versatile and maintenance-free docking system is the most desirable. We also know that having a waterfront property, whether residential or commercial, is a major investment. EZ Dock products are attractive, easy to install, and virtually maintenance free. Overtime this saves you money resulting in a better long-term investment for the discriminating waterfront property owner.

For the best value, choose EZ Dock when replacing an existing dock or designing and installing a new one.



## MAINTENANCE FREE

Take back your weekends! With increasingly hectic schedules, there are only so many days that are made for fun. Why waste your precious free time installing, pressure washing, nailing, staining, painting, and/or replacing damaged sections of your dock?

A hose and soapy water are all you need to maintain your EZ Dock system. And EZ Dock's light beige color is cooler than darker competitive products, so you don't have to find your shoes just to walk across your dock!



All EZ Dock products are in stock and ready to deliver, so most docks can be installed right away. With EZ Dock, you can start enjoying your waterfront leisure time the same day!





[www.ez-dock.com](http://www.ez-dock.com)



# Applications

## Dock Applications A Solution for Every Situation

EZ Dock keeps research and development at the forefront of all we do. Our team consists of water enthusiasts who live, work and play on the water. We understand your challenges first-hand and develop solutions accordingly.

EZ Dock is an ISO certified company that uses state-of-the-art engineering and manufacturing processes to develop and deliver the highest quality dock products in the industry.





### Residential /Property Development

Whether you have a lakeside cottage, oceanfront property or are involved with a homeowners association, EZ Dock can create a dock system tailored for your needs.

Let our factory trained distributors/dealers help you make sense of dock permits, local codes, environmental considerations and water conditions that may impact your ultimate design.



### Marinas

Whether you need two slips or 2000, EZ Dock will team you up with a dedicated marine design engineer to help you navigate the process. We will help you understand the challenges that come with development or replacement while helping to ensure you meet all local codes and requirements.

With hundreds of successful marina projects to our credit, EZ Dock can offer you years of experience to help design and select products that will provide the best solution to your docking needs.



### Restaurants

Increase profits with access for patrons arriving by boat, or provide close-ups of water views. EZ Dock will work with you to provide a safe and stable waterfront accessibility option for everyone. EZ Dock systems can be configured to conform to the latest ADA regulations.

EZ Dock keeps up with the latest trends and standards to give you options that make sense, increase traffic, and add to your bottom line.









### Parks, Camps and Recreational Areas

Do you have fond memories of summer camp—swimming, fishing, canoeing, kayaking, sailing, and waterskiing? The team at EZ Dock does, and we have created numerous dock systems that provide children and adults of all ages EZ access, including ADA accessibility, to water activities we all love.

Our maintenance free systems are designed specifically for places that do not have full-time staff or capabilities to handle year-round maintenance needs. In most cases, EZ Dock can be left in the water all year, ask your local dealer for his expert recommendation.



### Hotels / Resorts

EZ Dock has installed numerous dock solutions for hotels and resorts worldwide. These docks are used for fishing piers, PWC storage, boat rentals boat launches and boat shuttle points.

Contact your local EZ Dock distributor to get a free quote.



### Government / Military

EZ Docks are currently in use for various governmental, military, and police security units worldwide. Whether your fleet consists of PWCs, RIBs, boats, or other watercraft, EZ Dock offers creative design concepts for EZ access to patrolled waters, while keeping budgets in mind.



[www.ez-dock.com](http://www.ez-dock.com)



## Nature Preserves, Wildlife and Environmental Research

Wildlife habitats depend on our wetlands and we, in turn, need to respect their needs. EZ Dock sections allow light to penetrate through the dock, fostering plant growth that is essential to wildlife.

EZ Dock's designs utilize our patented hollow sections that eliminates the use of foam for flotation.

Foam can often be dangerous to wildlife when it deteriorates and breaks apart, leaving toxic pieces into the water. We develop our products to work in harmony with the environment – not against it. EZ Dock contains no toxins or other ingredients that could harm wildlife like treated wood or foam filled products can.



## Special Events

Special water-front events that require floating platforms can present unique challenges. They demand considerable planning and attention to detail to make them fun, entertaining and safe for all involved.

EZ Dock understands this and can help you plan and provide for your special event with docks and floating platforms to accommodate judges, officials, contestants, performers, spectators, press, photographers, etc.

EZ Dock products easily install and dismantle and are perfect for traveling events held in various locations or that reoccur such as ski competitions, fishing tournaments, floating band stands, golf tournaments and in-water boat shows.



## Rowing

EZ Dock makes a perfect platform for launching rowing skulls. The unmatched stability and flotation capacity allows for even the largest 8 person teams to safely and confidently carry their skulls to the dock edge for launching. Dock freeboard can be adjusted to the optimum level by adding or removing water ballast from the dock sections as needed.











# Dock Sections



## Corner Gusset Part# 300501

Polyethylene corner gusset adds deck surface and additional stability to dock fingers when needed.

## Modular, Stable, Cool and Durable

Choose from many different sizes and shapes to get the exact dock configuration you desire. The patented EZ Dock system makes it a snap to install. Just lay out the sections, bolt couplers in place, and tighten down the bolts.

The beige color makes our docks more attractive, and helps them blend with the natural surroundings – but most importantly, it is cooler to the touch.

EZ Dock's patented flotation design creates suction and compression to increase stability. When you walk on an EZ Dock, you will immediately notice the difference. It's not just floating, it's actually creating stability by using the patented hollow chambers on the underside.

The patented connection couplers allow the sections to move independently under high-stress conditions, while still providing unified firmness. EZ Dock's polyethylene construction provides outstanding modularity, superb buoyancy, functionality, and safety. That makes for an extremely versatile dock system.

Use the EZ Designer™ Configuration tool to assist you in creating a dock that meets your needs. Your configuration can be stored or sent to the nearest EZ Dock distributor for pricing and anchoring recommendations.








## Features & Benefits

- Excellent stability on water
- Low or virtually no maintenance
- Beige "cool-to-touch" color
- Safe, slip-resistant surface
- Strength and flexibility
- Secure connection couplers
- Versatile modular design
- Expandable for future growth
- Anchoring systems for all conditions
- Four-season accessibility
- Custom designs available



### Versatile Modular Design


The EZ Dock system is easily configured to suit most any need. Combine various size sections and accessories to create a simple swim platform or an elaborate multiple-slip marina.



A view of the bottom and inside of an EZ Dock section reveals flotation chambers and an extra-heavy wall thickness that creates tremendous structural integrity. Placement of these patented chambers also enhances the EZ Dock's stability, making it the most stable dock on the market. The need for foam fillings and the environmental concerns related to them are completely eliminated.

Special connection couplers are designed to allow sections to move independently under high-stress conditions, yet provide unified stability. Made with recycled material, the couplers are compounded to prevent fatigue problems. The composite coupler bolt and nut eliminate rusting in all water conditions.

U.S. Patent # 5,281,055  
Part# 301100



### Half Hexagon Dock

EZ Dock adds even more design versatility with our new half-hexagon dock option.

	SIZE	WEIGHT	FLOTATION CAPACITY	PART #
A	40" x 5' x 15" 1m x 1.5m x 38cm	100 lbs. 45.4 kg	1,000 lbs. 453.6 kg	204060
B	40" x 10' x 15" 1m x 3.1m x 38cm	190 lbs. 86.2 kg	2,000 lbs. 907.2 kg	204010
C	60" x 10' x 15" 1.5m x 3.1m x 38cm	285 lbs. 129.3 kg	3,000 lbs. 1360.8 kg	206010
D	80" x 10' x 15" 2m x 3.1m x 38cm	385 lbs. 175 kg	4,000 lbs. 1814.4 kg	208010
E	60" x 10' x 15" (Half-Hexagon) 1.5m x 3.1m x 38cm (Half-Hexagon)	210 lbs. 95.3 kg	2,000 lbs. 907.2 kg	260120
F	Corner Gusset	40 lbs. 18 kg		300501







# PWC Lifts

## Which EZ Port is Right For You?

EZ Port revolutionized docking and launching with the original drive-on PWC lift. Still the industry leader, EZ Port is the simplest drive-on, push-off method of dry-docking. The raised bow stop serves as a safety feature that helps to prevent drivers from "overshooting."


There is no winching, cranking, pumping or hoisting necessary and its durability is the reason why EZ Port remains the number one PWC lift in the market.

Self-floating EZ Port moves with changing water levels and helps protect watercraft from damage caused by wind or waves. It is so simple to use that even beginner PWC operators will find boarding and launching a breeze, with foot space on both sides and the front to allow ample access and stability.

EZ Port installation requires just a few tools and very little time. You can use it with your EZ Dock system or with an existing traditional dock. Plus, EZ Port uses adjustable polyurethane rollers to help protect against scratching your PWC investment and to make it easier to dock and launch your watercraft.



Quick, virtually effortless launching and boarding.



**Extension** available for EZ Port 2, allowing easy expansion for use with larger PWCs

**EZ Port & Stow**

## Features & Benefits

- Adjustable rollers
- Safe PWC storage
- Safety bulkhead
- Three-sided accessibility
- Low maintenance
- Tie up cleat

MODEL	SIZE	WEIGHT	FLOTATION CAPACITY*	PART #
EZ Port 2	127" x 60" x 15"	240 lbs.	800 lbs.	206011PW
	3.2m x 1.5m x 38cm	109 kg.	363 kg.	
EZ Port 3	151" x 60" x 15"	280 lbs.	1300 lbs.	206013PW
	3.8m x 1.5m x 38cm	127 kg.	590 kg.	
Extension for EZ Port 2	20" x 60" x 15"	70 lbs.	100 lbs.	206010EX
	.5m x 1.5m x 38cm	27 kg.	45 kg.	
EZ Port & Stow	184" x 60" x 15"	520 lbs.	1450 lbs.	206016PW
	4.7m x 1.5m x 38cm	236 kg.	658 kg.	

\*When attached to an EZ Dock product. Supplemental flotation available for specific applications. Note: Because of the rotomolding process, weights and dimensions may vary. US Patent #398,576




# Take Your PWC to the **MAX**

EZ Port MAX is a Port system that is **M**odular, **A**daptable and **eX**pandable. It is the first port of its kind to offer EZ on and EZ off inline parking for multiple PWC parking.

The diagrams to the right show just a few of the configurations that are possible with the EZ Port MAX. The EZ Port MAX can be used with standard EZ Dock, traditional fixed or floating docks or freestanding.

## Features & Benefits

- **M**odular for multiple configurations to suit your needs
- **A**daptable to your waterfront situation and watercraft
- **eX**pandable to allow multiple in-line tandem configurations
- Entry sections may be used "head-to-head" for a drive-thru configuration
- One size fits all roller system
- Enhanced fit and form to match a wide range of watercrafts
- Integrated pipe brackets
- Wider and higher hull "cradle"
- Lower entry roller for EZ approach and softer entry
- Easy loading and unloading



**EZ Port MAX Entry**

**EZ Port MAX, Integrated Bow**

**EZ Port MAX2 with Easy Lift Entry**



**Full Bow Section**

**Small Bow Section**



MODEL	SIZE	WEIGHT	FLOTATION CAPACITY*	PART #
EZ Port MAX Entry	149" x 60" x 11" 3.78m x 1.5m x 28cm	315 lbs. 142.8 kg.	1380 lbs. 626 kg.	206030PW
EZ Port MAX Extension	146" x 60" x 11" 3.71m x 1.5m x 28cm	328 lbs. 148.8 kg.	1400 lbs. 635 kg.	206031PW
Bow Section Full Port MAX	39" x 60" x 10" 1m x 1.5m x 25.4cm	60 lbs. 27.2 kg.		206025PW
Kit, Bow Section Small For Port MAX	33" x 10" x 16" .83m x 2.54cm x 40.6cm	12 lbs. 5.4 kg.		206026PW
EZ Port MAX, Integrated Bow	149" x 60" x 15" 3.8m x 1.5m x 38.1cm	320 lbs. 145 kg.	1380 lbs. 626 kg.	206032PW
EZ Port MAX2 with Easy Lift Entry (Full Bow)	188" x 58" x 15" 4.7m x 1.5m x 38.1cm	490 lbs. 222 kg.	1700 lbs. 771 kg.	206034EX

\*When attached to an EZ Dock product. Supplemental flotation available for specific applications. Note: Because of the rotomolding process, weights and dimensions may vary.





# Drive-On Boat Lifts



**EZ Port IV**




**EZ Port IV with storage unit**





**Storage**

Create a place for your boating gear. Add EZ Dock's bulk head storage bin to your Port IV for storage, winching, or just to create a barrier.



**Extension**

Add an extension or two depending on the length of your boat to increase the flotation capacity of the lift.



**EZ On and Off**

The Port IV makes lifting boats EZ. No mechanical action or external power required. Just idle up and roll aboard. Port IV can accommodate many boat models—just ask your dealer for more details.

# Lift for Your Horsepower

The EZ Port IV Boat Lift offers the same EZ drive-on docking and launching capabilities as a regular EZ Port for a PWC, but is made specifically for boats up to 23' (7m). It is the largest drive on port on the market and you can mount it to your current EZ Dock system, existing dock, or use as a stand alone.

## Features & Benefits

- Flip up front cleat
- Sixteen optional roller positions to accommodate most boats
- Fixed position stern roller
- Three bed-way rollers with adjustable positions
- Safety bulkhead (forward stop)
- Optional bow/winch storage module

MODEL	SIZE	WEIGHT	FLOTATION CAPACITY*	PART #
EZ Port IV	168" x 80" x 15"	500 lbs.	1600 lbs.	208014PW
	4.25m x 2.0m x 38cm	227 kg	725 kg.	
48" Extension	48" x 80" x 15"	240 lbs.	400 lbs.	208014EX
	1.2m x 2.0m x 38cm	80 kg.	181 kg.	
24" Entry Extension	24" x 80" x 15"	100 lbs.		228014EX
	60cm x 2.0m x 38cm	45 kg.		
Supplemental Flotation	40" x 20" x 8"	20 lbs.	150 lbs.	208014FL
	1m x .5m x 20cm	9 kg.	60 kg.	
Bow/Winch**	60" x 80" x 15"	250 lbs.		208014BW
	1.5m x 2m x 38cm	90 kg.		

\*When attached to an EZ Dock product. Supplemental flotation available for specific applications. Note: Because of the rotomolding process, weights and dimensions may vary. US Patent #398,576

\*\*Items can be sold separately.



**24" Entry Extension**



**Supplemental Flotation**



**48" Extension**



www.ez-dock.com





# Winch-On Boat Lifts



## After a Long Day on the Water

When your day of boating fun and sun has ended, pulling onto the EZ Dock boat lift is as simple as loading it onto a roller bed trailer. Simply idle up and winch your boat onto the lift. This lift will keep your boat high and dry - free from impacts, floating debris, algae and barnacles.

The EZ Dock boat lift system is engineered for most fiberglass V-style hull boats. Multiple adjustable rollers can accommodate boats with a 14 to 21 degree dead-rise angle. By positioning the rollers in four possible configurations on two trays, eight different heights can be achieved to suit your needs.

You can configure regular EZ Dock sections to create a horseshoe-shaped docking system for other watercraft including pontoons, catamarans and even seaplanes. Let us help you customize a system to fit your needs.

## Features & Benefits

- Adjustable polyurethane rollers
- High-quality winch system
- Protective bow stop
- Modular intermediate section
- Sculpted stern section aids loading and unloading
- Low maintenance
- Cool beige color
- Boat launching strap (for specific applications)



**HOOK UP**



**WINCH ON**




**DOCKING COMPLETE**



## Boat Lift Configurations

	MAXIMUM BOAT WEIGHT	DOCK DIMENSIONS LENGTH X WIDTH
12' (3.7m) - 14' (4.3m) Boat Length		
A	1500 lbs. (680 kg)	13' x 10' (4m x 3m)
B	1600 lbs. (726 kg)	15' x 10' (4.6m x 3m)
C	2100 lbs. (953 kg)	15' x 10' (4.6m x 3m)
14' (4.3m) - 17' (5.2m) Boat Length		
D	2300 lbs. (1043 kg)	18' x 13' (5.5m x 4m)
16' (4.9m) - 18' (5.5m) Boat Length		
E	1700 lbs. (771 kg)	18' x 10' (5.5m x 3m)
F	1800 lbs. (816 kg)	20' x 10' (6m x 3m)
G	2100 lbs. (953 kg)	20' x 20' (6m x 6m)
H	2300 lbs. (1043 kg)	20' x 13' (6m x 4m)
I	2600 lbs. (1179 kg)	20' x 16' (6m x 4.9m)
17' (5.2m) - 19' (5.8m) Boat Length		
J	2500 lbs. (1134 kg)	20' x 13' (6m x 4m)
K	2900 lbs. (1315 kg)	20' x 16' (6m x 4.9m)



Stern section adds 18" (46cm) to length of dock.

### 1. Winch/Bow Stop Section #204005FL

20" (50cm) Long, 40" (1m) Wide,  
15" (38cm) High.

Section Weight: 45 lbs. (20 kg)  
Winch: Fulton XLT series 1400 lbs..  
(635 kg) winch, 20' (6.1m)  
strap, and hook.

### 2. Intermediate Roller Section #204020FL

20" (50cm) Long, 40" (1m) Wide,  
15" (38cm) High.

Section Weight: 45 lbs. (20 kg)  
Rollers: One adjustable roller.

### 3. Stern Roller Section #204670FL

60" (1.5m) Long, 40" (1m) / 70" (1.8m) Wide,  
15" (38cm) High.

Section Weight: 150 lbs. (68 kg)  
Rollers: Two adjustable rollers.  
One fixed rear roller.

### 4. Example: Assembled Lift

3 - 40" (1m) x 10' (3m) x 15" (38cm)  
dock sections combined with the Bow Stop,  
Intermediate Roller, and Stern Roller Sections.

Maximum Boat Weight:  
1500 lbs. (680 kg)  
Overall Dock Dimensions:  
13' (4m) x 10' (3m)  
Boat Length: 12' (3.7m) - 14' (4.3m)

### 5. Support Truss Kit #92405FL

Recommended for use on all boat lifts  
with boats exceeding 1,800 lb.

### 6. Boat Launch #900070

### 7. Side Stabilizer Roller Kit #60000SS




Additional flotation available for heavier boats.  
Stern section adds 18" (46cm) to length of dock.  
Because of the rotomolding process, weights and dimensions may vary.



www.ez-dock.com



# EZ Launch



now with **Accessible Transfer System**

## Universal Accessibility

EZ Dock has taken accessibility to another level with their new EZ Launch Accessible Transfer System for Kayaks and Canoes. A first in the industry, the Accessible Transfer System provides individuals with disabilities universal accessibility that exceeds the minimum requirements of the ADA. The Transfer Bench is built with two heights for easy transfer from wheelchairs of varying sizes and two Transfer Slide Boards to accommodate differing watercraft heights. The Transfer Slide Boards land securely on a railing system that stabilizes the slide board and provides grab bar assistance for easy side movement. All users can simply sit, slide over and drop down into a kayak or canoe then utilize the side rails to pull off or back on.

### Features & Benefits

- Guide rails provide for easy access in and out of the water
- Launch rollers for easy movement of the watercraft
- Transfer bench with 2 heights for easy transfer from wheelchairs of varying sizes
- Transfer Slide Boards with 2 heights for differing watercraft sizes
- Railing system for Slide Board stabilization and user transfer support for easy side movement
- Constructed of all marine grade components and anodized aluminum
- Floating platform adjusts to changing water levels
- Exceeds the minimum requirements of the ADA



**2 Level Transfer Bench**



**Transfer Slide Boards**





## Make Your Nature Trail Accessible to All

The EZ Trail® system from EZ Dock is a smart way to create accessible ramps and pathways in your woodland, wetland, or any other place you need a safe and durable walking platform. Our patented system is less invasive, and the large interconnecting, modular sections are simple to install. In addition, you can easily add sections as needed, or re-configure your walkway anytime you like.

Treated wood and foam-filled products can be dangerous to wildlife habitats, but EZ Trail utilizes only safe, non-toxic materials. The hollow sections provide stable flotation, and they can be suspended above vegetation during periods of low water, so as not to harm the habitat.

Our goal is to effectively and efficiently meet all of your outdoor walkway needs, while working in harmony with the environment - not against it. Simply put, EZ Trail makes it easy for anyone to enjoy nature at anytime in any setting.

### Features & Benefits

- Versatile and expandable self-floating design that is suitable for land and water
- Easily moved unlike fixed walkways, ramps, piers or docks
- Less invasive because it does not require permanent foundation
- Made from low-maintenance and non-toxic materials
- Light can penetrate to foster plant growth beneath
- Suspensible above vegetation by use of supports
- Beige color is attractive and blends with natural surroundings
- Universally accessibility





# Anchoring

## Hold Steady Mate

Once you have created your EZ Dock, you will need to select an anchoring system to work with your existing piling or with your new installation.


Our wide-variety of anchoring components can accommodate most water conditions and bottoms (deep, shallow, rough, muddy or sandy), and are simple to install. EZ Dock anchoring products are made from long-lasting, durable materials that can accommodate from standard to heavy-duty demands. Your local dealer can help you select the anchoring system that is right for your location.



### Pipe Augers

Part# 100255 or 100355

Auger with bolt and nut allows for drilling and setting pipe in lake, river, or ocean bottoms. Pipe sold separately.



### Adapter Hinge

Part# 100750 or 100750SS

Reversible hinge allows you to bolt EZ Port PWC lifts or EZ Dock sections to other types of floating docks.



### Stiff-Arm Heavy-Duty

Part# 800099

Anchor to a shoreline abutment or to a shoreline post with our heavy-duty stiff-arm. Light-duty stiff-arm bracket also available.



### Heavy-Duty Pipe Bracket

Part# 210250 or 210350


Heavy-duty polyethylene pipe bracket allows docks to adjust to changing water levels.



### Pipe Bracket

Part# 130250 or 130350

Standard-duty polyethylene bracket provides ample anchoring for EZ Port PWC lifts, or for smaller docks in moderate conditions.



### Pipe Stand-Off Bracket

Part# 1051000

Polyurethane bracket attaches top of pipe to stationary docks. Fits pipe from 2.5" (6cm) to 3.5" (9cm) O.D.






**Deadweight Bracket (Heavy Duty)**

Part# 210350 and 100725P

Add a deadweight insert to our heavy-duty polyethylene pipe bracket to anchor docks in deep water or over rocky bottoms.



**Deadweight Winch Insert**

Part# 210350 and 100730

Deadweight insert and cable winch added to our polyethylene pipe bracket allow easy dock adjustment for water fluctuations. Cable sold separately.



**Deadweight Bracket (Standard Duty)**

Part# 100740 or 100740SS

For light-duty anchoring with chain and/or to attach 4" (10cm) x 4" (10cm) railing or mooring posts. Chain sold separately.



**Deadweight Stiff Arm Combo Bracket**

Part# 100700, 800095-20

This combination bracket can be used with both EZ Dock's deadweight or stiff arm anchoring system.



**Piling Bracket**

Part# 300800

Heavy-duty polyethylene bracket allows lateral position adjustment to attach to piles up to 18" (46cm) in diameter.



**Piling Bracket and Hoop**

Part# 100800, 100812 (shown)

Mainframe piling bracket is pre-drilled for hoops from 4" (10cm) to 24" (61cm) wide. Includes connectors with nuts. Hoops sold separately.



www.ez-dock.com

# Gangways


## Gangway

Engineered with the same technology and quality as our EZ Dock sections, our gangways offer the same uncompromised durability and modular versatility. We offer gangways manufactured from aluminum, wood, or polyethylene (the patented version).

Polyethylene gangway available in 6-foot (1.82m) sections, that can be combined to lengths of 12 feet (3.65m) or 18 feet (5.48m). To compliment the gangways, railings are also available for added safety.

### Gangway (Aluminum)


Part# 300310 to 500530



Gangway has welded construction with slip-resistant walkway, side curb, and rails. Lengths from 10'-30' (3m-9.1m), and widths of 3' (1m) and 5' (1.5m).

### Transition Plate

Part# 300301, 400401 or 500501



Hinged aluminum plate with non-skid surface offers a safe and sturdy transition between shore grade and gangway.

### Gangway Roller Kit

Part# 300300, 300400 or 300350



Gangway roller kit allows end of gangway to adjust with changing water levels. PVC roller for 3' (0.91m) and 4' (1.2m) length; galvanized steel roller for 5' (1.5m) length.

### Poly Gangway

Part# 400406 (6' section)



Shown above with two 6' sections installed with the 12' Aluminum Tube Support Kit (Part# 401412) and optional 12' Hand Rail (Part# 400912)

### Float Hinge Bracket

Part# 100650SS or 100850SS



Hinged bracket with hardware attaches gangway to dock. Available in 60" (1.5m) and 80" (2m) widths.

### Gangplank Mounting Kit


Part# 100240, 100340 or 100600



Galvanized steel hinge bracket and hardware, for wood walkways 24" (61cm), 34" (86cm), or 60" (1.5m) wide. Lumber not included.

### Plank Gangway (Polyethylene)

Part# 200200



Hinged polyethylene panel creates a smooth transition between shore grade and deck surface.



## Made in the Shade!

Now more than ever, we all need protection from the sun's harmful UV rays. You also need to shield your watercraft investments from the same harmful UV rays. Our EZ Dock roofing systems provide shade in the summer for boats, PWCs and the people who use them, as well as protection from the weather all year long. For maximum defense against ultraviolet damage, contact your local dealer to find out about colors and materials available. You can even add logos and text for commercial applications.

UV-8 inhibitor, the highest strength available, is used in all EZ Dock products. The thickness and light coloring of the product also enhance UV defense against sun damage.





# Accessories

## Accessories Make the Dock

You can add your own signature to your dock by adding an array of accessories from EZ Dock. To add your personal touch and accommodate your personal needs, choose from a wide variety of storage boxes, cleats, benches and ladders.

EZ Dock even has slides to entertain the kids - and has added safety features.

Most accessories can be used with existing docks, and are engineered for the low-maintenance and durability that you have grown to expect from EZ Dock.

The EZ Dock team continues to develop new accessories for your EZ Dock system and for existing docks made of other materials. We understand that you may want to add more trimmings later, so check out our website for the latest in accessories at [www.ez-dock.com](http://www.ez-dock.com).



### Swim Ladder

Part# 300260

One-piece polyethylene ladder is designed with no exposed hardware and 400 pounds of weight capacity. Slip-resistant textured surface offers maximum safety. U.S. Patent # 389,923

### Dock Slide

Part# 300600



The EZ Dock slide adds a little fun for all ages.

### EZ Stow Storage Box

Part# 300750



Permanently mounted and constructed of weather-resistant materials, the storage box is a great place to store life jackets, towels, and any other essential supplies.

### Corner Storage Box

Part# 300760



Roomy storage in a compact design that makes the most of available space without interfering with foot traffic. Connection boxes for complete utility hookups through this box are available. Shown with optional utility panel.

### EZ Float Step Ladder

Part# 300270



Patent pending aluminum ladder with polyethylene float that keeps the ladder out of the water when not in use but is readily available when needed.

### Polyethylene Bench Kit

Part# 300970 or 300965 without arms



A complete hardware kit that allows construction of a durable polyethylene dock bench.

### Tie-down Cleat

Part# 300100



Tie-down cleats 8" (20cm) and other accessories attach to heavy-duty stainless steel T-nuts molded in pairs around dock section perimeters.

### 10" Tie-Up Cleat

Part# 300110



Made from aluminum, the 10" Tie-Up Cleat is designed for larger dock lines.

### 12" Tie-up Cleat

Part# 300112



Also designed for larger dock lines, the 12" Tie-Up Cleat is made from galvanized steel.




**Dock Edging**  
Part# 400117



Constructed of durable vinyl, the edging provides a soft cushion to protect boats from the sides of docks and vice versa.

**Dock Bumper**  
Part# 300180



The dock bumper is designed to protect the boat gunwales and rub-rails. Dock bumper will attach to dock using embedded T-nuts.

**Dock Wheels**  
Part# 900050



Steel frames with polyethylene wheels make movement of docks easier. Sold in pairs.

**Utility Channel Inside Corner**  
Part# 302030



Utility conduit can be tucked neatly inside two-piece chaseway attached at junction of dock sections. Available with stainless-steel hardware.

**Utility Channel Outside Corner**  
Part# 302040



Convenient for installations in which dock layout requires utility conduit to be installed around the outside corner of a dock section. Available with stainless-steel hardware.

**Utility Channel**  
Part# 302060 (60" Length)  
Part# 302020 (20" Length)



Two-piece, 20" wide chaseway attaches to side of dock sections, allowing conduit for utilities. Available in 60" or 20" long sections, and with stainless-steel hardware option.

**Security Curbing**  
Part# 35116



Constructed of polyethylene, curbing provides a safe border around dock edges for wheelchairs. (Available in brown only)

**Corner Gusset**  
Part# 300501



Polyethylene corner gusset adds deck surface and additional stability to dock fingers when needed.

**Corner Dock Wheel**  
Part# 300537



Help protect your dock from approaching watercraft with EZ Dock's new corner dock wheel.

**Transition Kit (Polyethylene)**  
Part# 100717 (15") or 100718 (30")



Hinged polyethylene plate creates a smooth transition between EZ Dock or EZ Port and another floating dock.

**Coupler Kit**  
Part# 301100



Standard coupler kit includes two couplers, one bolt, and one nut. Couplers are made from recycled material and are noncorrosive.

**Supplemental Flotation**  
Part# 206013FL



Attaches under dock sections and EZ Port lifts to increase the flotation capacity in specific applications.

**Hardware Connector Female**  
Part# 201041SS



For attaching various accessories.

**Hardware Connector Male**  
Part# 201040SS



For attaching various accessories.

**Winch**  
Part# 91400




Add EZ Dock's new winch to help stow your watercraft.

**In-Water Installation Tool**  
Part# 9000010



Coupler installation tool simplifies in water connection of couplers.






# Railings

## Style 910


Part# 100910, 105910



10' (3m) Width

## Style 911


Part# 100911, 105911



5' (1.5m) Width

## Style 912


Part# 100912, 105912



10' (3m) Width

## Style 913L


Part# 100913L, 105913L



10' (3m) Width

## Style 913R


Part# 100913R, 105913R



10' (3m) Width

## Style 914L


Part# 100914L, 105914L



5' (1.5m) Width

## Style 914R


Part# 100914R, 105914R



5' (1.5m) Width

## Style 915


Part# 100915, 105915



5' (1.5m) Width

## Style 916\*


Part# 100916, 105916



5' (1.5m) Width

## Style 917


Part# 100917, 105917



80" (2m) Width

## Style 918


Part# 100918, 105918



80" (2m) Width

## Style 919


Part# 100919, 105919



40" (1m) Width

## Style 920\*

Part# 100920, 105920




40" (1m) Width

## Safe, Secure, and Code Compliant!

For commercial or residential uses, take comfort that EZ Dock modular railings conform to SOBA and ADA guidelines.

Railing sections are available in a variety of lengths and profiles designed to provide security with minimal obstruction. Choose from the standard hot-dipped galvanized finish, a powder-coated color finish, stainless steel or our new aluminum option.




Dock sections are 15 inches (38.1 cm) high and displace just a few inches of water, resulting in approximately 14 inches (35.56 cm) of freeboard height showing above the water line.






Also available in five powder-coated colors & stainless steel:




Forest Green




Brown



Royal Blue



Sand




Stainless Steel



[www.ez-dock.com](http://www.ez-dock.com)







# Worldwide Distribution Network



**EZ Dock's extensive worldwide distribution network is standing by to support your projects. No matter how large or small, they can help make your dock dreams reality.**

EZ Dock is the world's market leading floating dock and PWC lift manufacturer. Engineered for low maintenance and durability, EZ Dock is the most stable, patented floating dock system on the market. From commercial events to personal recreation, EZ Dock's modular dock designs, boat lifts, PWC lifts and dock accessories make it EZ to create your perfect waterfront setting.



Try our EZ Designer™ Configuration Tool located on our website to create your perfect dock. Call your local dealer today!

## US/Canada

1-800-654-8168  
ez-dock.com

## Europe

+46 (0) 380 47 300  
ezdockeurope.com

## International

+1-417-235-2223  
ez-dock.com



**EZ Dock Plant  
Monett, MO, USA**



[www.ez-dock.com](http://www.ez-dock.com)

Contact Your Local Dealer Today  
**For Your Dock Of Tomorrow.**



[www.ez-dock.com](http://www.ez-dock.com)



**US: 1-800-654-8168**  
**[www.ez-dock.com](http://www.ez-dock.com)**

**Europe: +46 (0) 380-47-300**  
**[www.ezdockeurope.com](http://www.ezdockeurope.com)**

**Intl: +1-417-235-2223**  
**[www.ez-dock.com](http://www.ez-dock.com)**

A division of



PlayPower, Inc



EZ Dock is certified to ISO-9001, documenting the complete quality control systems that support our commitment to your satisfaction.

© 2011 EZ Dock, Inc. EZ Dock, Inc. is a division of PlayPower, Inc. EZ-CAT-2011